

**SOLARMATIC®** SHY ZIP-Screen

**THE SHY IS NEVER THE LIMIT!**



2 units SHY ZIPscreen: width. 4380 mm. height. 3100 mm.  
1 unit SHY ZIPscreen: width. 6780 mm. height. 3100 mm.

## NEW SCREEN

The ZIP-Screen® is the most recent development by SOLARMATIC®-Sonnenschutz. Our trustful SHY Zip screen is confectioned in a very special way. The cloth consists of two parts regular screen fabric, and in the middle a part of translucent PVC. While you are sitting outside and enjoying the view, the Luxscreen® is, with the addition of this transparent strip, perfect for keeping out wind and rain.


With this development you can always enjoy the sunlight on your veranda, what a luxury!



1 unit LUXscreen: width 1620 mm. height. 1950 mm.  
1 unit LUXscreen: width 1705 mm. height. 1950 mm.

## SHY ZIP

Guide




The inner rail and the patented SHY ZIP system are slid into the SHY guide.


Because of this, the sun has no opportunity to come between the guide and the fabric.

This makes our ZIP screen also very wind resistant.

SHY ZIP box



Box 100, 125 and 150 mm



The speciality of our ZIP systems is that there are no gaps between the fabric and guides, This is a serious problem with regular screens.

By using our ZIP system, the fabric stays perfectly on it's place.  
This makes our ZIP screen very wind resistant,  
whereas the gap is totally closed between the fabric and the guide.

# **SOLARMATIC®** SHY ZIP-Screen



1 unit SHY ZIPscreen: width 4806 mm. height. 3575 mm.



3 units SHY ZIPscreen: width 4000 mm. height. 2500 mm.  
2 units SHY ZIPscreen: width 3000 mm. height. 2500 mm.  
2 units SHY ZIPscreen: width 4500 mm. height. 2500 mm.

**SOLARMATIC®** SHY ZIP-Screen



1 unit SHY ZIPscreen: width 3800 mm. height 10600 mm.

# **SOLARMATIC**<sup>®</sup> SHY ZIP-Screen

The enormous advantages are that the ZIP Systems keep out insects, as well protects you from sun and heath.

Our ZIP systems are very suitable for high and wind catching buildings, where regular awnings cannot be installed.



7 units SHY ZIPscreen: width 3000 mm. height 6000 mm.  
1 unit SHY ZIPscreen: width 4400 mm. height 3600 mm.


ZIP systems don't need much side assembly space by using narrow and slim guides.

The ZIP can be made in every desired RAL colour and matching fabric.

# SOLARMATIC® SHY ZIP-Screen



Because so many RAL and fabric colours we can provide your ZIP screen completely to your wishes.



Our SHY ZIP screen horizontal even works from the bottom upwards.

# MSW SYSTEMS




2 units MSW 2000: width 3950 mm. height 4765 mm.  
(view from outside)



View from inside MSW 2000

The last decades architects invented more often uncommon and complex forms. Also new designs for windows, frames and skylights are being proposed. SOLARMATIC®-Sonnenschutz anticipates on this development, with its MSW special products.



# UNIQUE MSW SPECIAL AWNINGS



These particular awnings can be produced in almost each form, angle and colour. Beside the normal rectangular awnings, we produce different polygonal awnings, which can be used for shading and decoration. We can provide your triangular window with a particularly beautiful and appropriate awning!



4 units SZ-MSW 1000 black-out blinds:  
Width 3540 mm. Drop 1500 mm.




2 units SZ-MSW 1000:  
Width 1250 mm. Drop 4750 mm.




3 units SZ-MSW 1000:  
Width 2150 mm. Drop 3000 mm.  
Width 1480 mm. Drop 2190 mm.  
Width 1750 mm. Drop 6300 mm.

Box



The SZ-MSW 1000 system with ZIP-system is always provided with SZ-MSW guides with measures of 65 mm. x 45 mm. Rectangular systems can be supplied with screen - or acrylic fabric.

Guide






1 unit MSW 2000-R:  
 Assembled in an angle of 90°. The hood is assembled behind the wood. (on the left-hand side)  
 What makes this system very particular, is the single guide. (on the right-hand side)



4 units MSF 400:  
 2 units width 2200 mm. height 4390 mm.  
 2 units width 2200 mm. height 2770 mm.

Guide



All MSW and MSF systems are provided with standard MSW guides measuring 50 mm. x 38 mm. Triangle and polygonal systems can only be supplied with Soltis 92 / 93 or B 92 N fabric.

# SHY ZIPSCREENS:

For private - and professional use

Installations: inside and outside

Horizontal and vertical applications

## EXTREME WIDTHS AND HEIGHTS ARE POSSIBLE!

Wind resistant

Black-out possible

Keeps insects, sun and heat outside

No gap between fabric and guides

## OVER 10 YEARS EXPERIENCE!!!!

### AWNINGS WITH PARTICULAR SHAPES ARE NO LONGER IMPOSSIBLE!

Rectangular, polygonal and triangular shapes can be shaded or decorated perfectly with our MSW awnings.

Ask for our opportunities.



Barnimstraße 18/19  
D-15345 Eggersdorf b. Berlin  
Germany

Telefon: 03341 / 4 48 68-0  
Telefax: 03341 / 4 48 68-0

E-Mail: [mail@rollos.info](mailto:mail@rollos.info)  
[www.rollos.info](http://www.rollos.info)

